

Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

# MATERIAL SAFETY DATA SHEET

#### Manufacturer/information service:

ZHEJIANG RAYFULL CHEMICALS CO., LTD

ADD: NO.52 PUCHANG ROAD, PUZHOU INDUSTRIAL PARK, LONGWAN DISTRICT,

WENZHOU ZHEJIANG P.R. CHINA

Tel: +86-577-88905587 Fax: +86-577-88905567

Email: info@rayfull.com sales@rayfull.com

## 1. Chemical Product Identification

Product Name: Acephate 75% SP Molecular Formula: C<sub>4</sub>H<sub>10</sub>NO<sub>3</sub>PS

Molecular Weight: 183.18 g/mol

Structural Formula:



Chemical Name: (RS)-N-[methoxy(methylthio)phosphinoyl]acetamide

Form: SP

Color: white

Odor: Strong mercaptan odor

CAS No.: 30560-19-1

#### 2. Composition / Information on Ingredients

| Composition       | CAS No.    | Content % |
|-------------------|------------|-----------|
| Acephate          | 30560-19-1 | 75.0      |
| Other ingredients |            | 25.0      |

#### 3. Hazards Identification

Inhalation: Toxic if inhaled. Material may be irritating to mucous membranes and upper



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

respiratory tract.

Skin: May cause skin irritation. May be harmful if absorbed through the skin.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Hazards: Emits toxic fumes under fire conditions.

#### 4. First Aid Measures

Skin: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Eyes: In case of contact with eyes, flush with copious amounts of water for at least 15minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Inhalation: If inhaled, remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

#### 5. Fire-Fighting Measures

Extinguishing Media: If product is involved in fire, use CO<sub>2</sub> or dry chemical.

Fire And Explosion Hazards: Heating benefin to temperatures above 90°C (194°F) can lead to violent reaction with rapid pressure build-up. If product is involved in fire, noxious, toxic fumes may also be formed.

Fire-Fighting Equipment: Wear full protective clothing and use positive- pressure, self-contained breathing apparatus.

## 6. Accidental Release Measures

Small spills/leaks: Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

## 7. Handling and Storage

Safe handling advice: avoid contact with skin and eyes. Do not breathe dust. When using do not eat, drink or smoke. Wash face and hands before eating, drinking or smoking. Requirements for storage rooms: keep away from food, drink and animal feeding stuffs. Keep only in the original container in a cool, well ventilated place.



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

Additional information: read the label before use.

#### 8. Exposure Controls/Personal Protection

Personal Protection: Compatible chemical-resistant gloves. Chemical safety goggles.

Respirators: Government approved respirator.

Exposure Effects: Properties of this material have not yet been prepared. Any recommendations are of a general nature. Many chemicals cause irritation of the eyes, skin, and respiratory tract. In severe cases respiratory tract irritation can progress to ARDS/acute lung injury which may be delayed in onset for up to 24 to 72 hours in some cases Irritation or burns of the esophagus or gastrointestinal tract are also possible if caustic or irritant chemicals are ingested. ALWAYS contact your local poision control authority or medical professional for assistance.

# 9. Physical and Chemical Properties

Appearance: white powder

Density: 0.32 g/cm<sup>3</sup>

PH: 4.0

Water Solubility: readily soluble in water (79 g/100 ml at 20°C). 650 g/l at 20°C

Solubility in Other Solvents: In acetone 15.1, ethyl acetate 3.5, benzene 1.6, hexane 0.01

ethanol < 50 g/l (all in g/100 ml at 20°C)

Melting Point: 70°C

Vapor Pressure: 0.226 mPa (24°C)

#### 10. Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Incompatibilities: Strong oxidizing agents.

Decomposition: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

Combustion Products: Fire may produce irritating, corrosive and/or toxic gases.

## 11. Toxicological Information

Acute oral LD<sub>50</sub> for rat: 945 a.i.mg/kg.

Acute dermal LD<sub>50</sub> for rat: >10000 a.i.mg/kg.

Acute inhalation LC<sub>50</sub> (4 h) for rat: 15.0 a.i. mg/L.



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

Skin irritation: Slightly irritating to skin (rabbits).

Eye irritation: minimal-irritating to eyes (rabbits).

Skin sensitization: Not a skin sensitiser (guinea pigs).

#### 12. Ecological And Ecotoxicological Information

Effect on birds: moderate toxicity to birds, acute LD<sub>50</sub> for Mallard ducks is 350 a.i.mg/kg.

Effect on fish: low toxicity to fish, acute 96 hour LC<sub>50</sub> for Rainbow trout is 110 a.i.mg/L.

Effect on aquatic invertebrates: moderate toxicity to aquatic invertebrates, acute 48 hour

EC<sub>50</sub> for Daphnia magna is 67.2 a.i.mg/L.

Effect on algae: low toxicity to algae, acute 72 hour EC<sub>50</sub> is 980 a.i.mg/L.

Effect on honeybees: moderate toxicity to honeybees, contact acute 48 hour LD<sub>50</sub> is 1.2

a.i.µg/bee.

Effect on earthworms: low toxicity to earthworms, acute 14 day LC<sub>50</sub> is >22974 a.i.mg/kg.

#### 13. Disposal Considerations

Disposal Methods: Check governmental regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

## 14. Transport information

Not Applicable

#### 15. Regulatory Information

Not Applicable

#### 16. Other Information

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the product as such. In case of new formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons on receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produce formulations containing this product, it is the recipients



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.