

Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

MATERIAL SAFETY DATA SHEET

Manufacturer/information service:

ZHEJIANG RAYFULL CHEMICALS CO., LTD.

ADD: NO.52 PUCHANG ROAD, PUZHOU INDUSTRIAL PARK, LONGWAN DISTRICT, WENZHOU ZHEJIANG P.R. CHINA

Tel: +86-577-88905587 Fax: +86-577-88905567

Email: info@rayfull.com sales@rayfull.com

1. Chemical Product Identification

Product Name: Thiophanate-methyl Molecular Formula: C₁₂H₁₄N₄O₄S₂

Structural Formula:

Molecular Weight: 342.4 g/mol

Chemical Name: dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate) (IUPAC)

Color: Colorless Form: Crystalloid

Odor: slight special odor

CAS No.: 23564-05-8

UN No.: 3077

2. Composition / Information On Ingredients

Composition	CAS No.	Content %
Thiophanate-methyl	23564-05-8	97.0
Other ingredients		3.0

3. Hazards Identification

Component	Symbol	R phrases
-----------	--------	-----------



Tel: +86-577-88905587,88908857

Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

Thiophanate-methyl	Xn, Xi, N	R68-20-43-50/53
--------------------	-----------	-----------------

More important danger for the man: None;

Dangers for the environment: Slight to moderately toxic to fish;

Physical-chemical dangers: Not applicable.

4. First Aid Measures

If poisoning occurs, immediately contact a doctor or Poisons Information Centre, and follow the advice given. Show this Material Safety Data Sheet to a doctor.

Eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Ingestion: If swallowed, drink 1 or 2 glasses of water (or milk) and induce vomiting by touching the back of the throat with finger. If possible, contact a physician, Poison Control Center, or emergency center before inducing vomiting. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest emergency treatment center.

Inhalation: If respiratory discomfort or irritation occurs, move the person to fresh air. See a doctor if discomfort or irritation continues. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

Note to physician: No specific antidote. Treat symptomatically.

5. Fire-Fighting Measures

Extinguishing media: Powder, foam, and sand;

Don't use: not applicable;

Particular risk: not applicable;

Measures of personal protection: safety glasses or goggles, rubber gloves, shoes plus socks, long-sleeved shirt, and long pants.

6. Accidental Release Measures

Personal cautions: safety glasses or goggles, rubber gloves, shoes plus socks, long-sleeved shirt, and long pants.



Tel: +86-577-88905587,88908857

Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

Cleaning methods

EX: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

Environmental cautions

EX: prevent the contamination of the floor and of beds of water. Isolate contaminated water.

Handling And Storage

Handling: Avoid getting in eyes or on skin, or clothing and breathing dust. Remove contaminated clothing immediately. Wash thoroughly after handling.

Storage: Keep in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight.

Fire and explosion protection: the area must be far from fire and flammable materials.

8. Exposure Controls / Personal Protection

Personal protective equipment

Respiratory protection: approved respirator;

Protective gloves: rubber gloves;

Eye protection: goggles;

Industrial hygiene: use good industrial hygiene. Wear face shield or goggles, elbow length PVC gloves, cotton overalls buttoned to the neck and wrist, washable hat and half face respirator with dust and vapor cartridge. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

9. Physical And Chemical Properties

Appearance: White powder;

Boiling point: Decomposes before boiling;

Vapor pressure: 0.0088mPa (25° C);

Melting point: Decomposes before melting;

Water solubility: $20 \text{mg/l} (20^{\circ}\text{C})$;

Degradation point: 165° C;

Flash point: Not highly flammable;



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

Ignition temperature: Not applicable.

10. Stability And Reactivity

Stability: stable under the normal conditions;

Conditions to avoid: Fire, heat and high temperature;

Products to avoid: Incompatible with highly alkaline materials, oxidizing agents, lime sulfur,

bordeux mixture, copper compounds;

Hazardous decomposition products: Thermal decomposition generates oxides of nitrogen,

sulfur, and carbon.

11. Toxicological Information

Acute oral LD50 for rat: >5000mg/kg;

Acute dermal LD50 for rat: >2000mg/kg;

Inhalation LD50 (4h) for rat: 1.7mg/l;

Skin irritant for rabbit: Non irritant;

Eye irritant for rabbit: Non irritant;

Sensisation for guinea pigs: a skin sensitizer in a Magnusson and Kligman test in guinea-pigs,

but not in a Buehler test..

12. Ecological And Ecotoxicological Information

Effect on birds: Acute oral LD50 for Mallard is >4640 mg/kg.

Effect on fish: Acute LC50 (96 h) for Rainbow trout is 11.0 mg/l.

Effects on aquatic invertebrates: Acute EC50 (48 h) for Daphnia magna is 5.4mg/l.

Effects on algae: Acute 72 hour EC50 for Pseudokirchneriella subcapitata is >25.4 mg/l.

Effects on bees: contact acute 48 hour LD50 is >100 µg/bee, oral acute 48 hour LD50

is $> 100 \mu g/bee$.

Effects on earthworms: Acute 14 day LC50 is >13.2 mg/kg.

13. Disposal Considerations

Material that cannot be used at the site should be disposed of in an approved waste disposal facility following all applicable Federal, State and Local regulations. If burned, stay out of smoke. Do not contaminate water supplies by disposal of wastes or containers.



Tel: +86-577-88905587,88908857 Fax: +86-577-88905567

EMAIL: info@rayfull.com sales@rayfull.com

14. Transport Information

Not applicable

15. Regulatory Information

Not applicable

16. Other Information

All information and instructions provided in this Material Safety Data Sheet (MSDS) are based on the current state of scientific and technical knowledge at the date indicated on the present MSDS and are presented in good faith and believed to be correct. This information applies to the PRODUCT AS SUCH. In case of new formulations or mixes, it is necessary to ascertain that a new danger will not appear. It is the responsibility of persons on receipt of this MSDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produce formulations containing this product, it is the recipients sole responsibility to ensure the transfer of all relevant information from this MSDS to their own MSDS.